



[illegible]

<b>CONTRACT DATA REQUIREMENTS LIST</b> (1 Data Item)					Form Approved OMB No. 0704-0188					
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Listed in Block E.										
<b>A. CONTRACT LINE ITEM NO.</b>		<b>B. EXH/ATCH NO.</b>		<b>C. CATEGORY:</b>						
				TDP		TM	OTHER			
<b>D. SYSTEM/ITEM</b> 9G 1560-00-802-3632			<b>E. CONTRACT/PR NO.</b>		<b>F. CONTRACTOR</b>					
<b>1. DATA ITEM NO.</b> 0006		<b>2. TITLE OF DATA ITEM</b> CERTIFICATION DATA REPORT			<b>3. SUBTITLE</b> CERTIFICATIONS					
<b>4. AUTHORITY (Data Acquisition Document No.)</b> DI-MISC-80678/T				<b>5. CONTRACT REFERENCE</b> SEE BLOCK 16		<b>6. REQUIRING OFFICE</b> DSCR-VC				
<b>7. DD 250 REQ</b> LT		<b>9. DIST STATEMENT</b> REQUIRED		<b>10. FREQUENCY</b> AS REQUIRED		<b>12. DATE OF FIRST SUBMISSION</b> SEE BLOCK 16*				
<b>8. ADP CODE</b> A				<b>11. AS OF DATE</b>		<b>13. DATE OF SUBSEQUENT SUBMISSION</b> SEE BLOCK 16**				
<b>16. REMARKS</b>  PARA. 10.1, 10.2,10.2.1,10.2.2,10.2.4, AND 10.5 APPLY  BLOCK #12: UPON SUBMITTAL OF FIRST ARTICLE SAMPLES AND UPON SUBMISSION OF PRODUCTION LOT SAMPLES  BLOCK #3: SEPARATE REPORTS SHALL BE PROVIDED FOR THE BELOW LISTED SUBTITLES, CERTIFICATION REPORTS FOR PRIME PROCESS AND MATERIAL SPECIFICATIONS, SHALL INCLUDE CERTIFICATION THAT ALL VENDORS PERFORMING THESE PROCESSES ARE PRIME, (OEM),LOCKHEED MARTIN , APPROVED SOURCES.  BLOCK #5: CONTRACT REFERENCE:  1. MATERIAL LS1041X1  2. SUITABLE SUBSTITUTE FOR LS1041 EXTRUSION IS QQ-A-225/6. 2024-T4 MATERIAL  3.H5BG 4 5A BEARING STAKE PER DS 2209-3				<b>14. DISTRIBUTION</b>		<b>b. COPIES</b>				
						Final				
				<b>a.ADDRESSEE</b>		<b>Draft</b>	<b>Reg</b>	<b>Repro</b>		
				NADEP CP						
				CODE 6.1.523		**/**	1/0			
				DSCR-JABA		**/**	1/0			
				CAO		**/**	1/0			
				<b>15. TOTAL</b>			4/0			
<b>G. PREPARED BY</b>  0731.21		<b>H. DATE</b>  02/12/04		<b>I. APPROVED BY</b>		<b>J. DATE</b>  02/12/04				

## **QUALITY ASSURANCE PROVISIONS**

### **C-321: SPECIFICATION:**

NSN: 9G 1560-00-802-3632

P/N: (36659) 817488 -1 , Revision "A " OR LATEST

NOMEN: FITTING ASSEMBLY

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (36659) 817488-1 , Revision "A " OR LATEST, and all details and specifications referenced therein.

### **I. Quality/Inspection Requirements**

- A. MIL-I-45208 or ISO 9000 equivalent applies: Refer to contract section E.
- B. First Article Testing applies: Refer to contract section I.
- C. Production Lot Testing applies: Refer to contract section C.
- D. Mandatory Inspection applies: Refer to contract section C.
- E. Site Survey may be required

### **II. Supplemental Requirements**

- A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MIL-Q-9858 or ISO 9000 equivalent apply.
- B. The contractor shall include on the detailed process/operation sheets developed, all in house manufacturing processes and the identity of all manufacturing sources performing processes/ operations outside of their facilities. These sheets shall not be revised or altered after the successful completion of First Article or Production Lot Testing without approval from the basic design engineering activity via the PCO
- C. The Inspection Method Sheets which list the characteristics of each item produced under the contract shall have serial number traceability to the raw material, casting, or forging.
- D. Markings should be I/A/W MIL-STD-130 REV. "K" para. 5.3.3(a), (b), (c) and (g). Method and location shall be I/A/W drawing.

### **III. Mandatory Inspection Requirements:**

During production, mandatory inspection is required to be accomplished by the contractor as follows:

#### A. Level of Inspection (LOI).

- 1) Critical Characteristics: 100% inspection shall apply.
- 2) Major and Minor Characteristics - LOI shall be I/A/W a sampling plan acceptable to the QAR.

#### Critical Characteristics

**Critical Characteristics:** (Shall be defined as below, unless defined by the Prime Contractor, diametrical and liner dimensions having a total tolerance of 0.001 or less.

**Surface finishes having a 16 value or less.**

**Angular tolerances with a total range less than (1) one degree.**

**Threads specified to class (3) three or greater.**

Critical Characteristics:

**P/N: (36659) 817488-1**

a. .6560 Dia  
.6565

b.H5BG 4 5A BEARING  
STAKE PER DS 2209-3

#### C. Major and Minor Characteristics

- 1) Shall be defined by the contractor subject to QAR concurrence, unless defined on applicable drawings and associated specifications.

IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, mylars, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject item(s) will not be provided by the Government or any other source and is the sole responsibility of

the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing or referenced specification.

**-961 FIRST ARTICLE TESTS REQUIRED (CONTRACTOR TESTING)**

[NSN: 9G 1560-00-802-3632 , P/N: (36659) 817488-1, Revision "A " OR LATEST  
NOMEN: FITTING ASSEMBLY

I. First Article Inspection/Test Criteria: The tests to be performed under the First Article approval clause of the contract are:

A. Dimensional Check (special)

B. Form/Fit

C. Compliance with drawing (36659) 817488-1 , Revision "B" OR LATEST and Specifications referenced therein.

D. Review documentation as provided under DD 1423 requirements.

In addition to the above tests, the First Article(s) to be delivered hereunder shall also be subjected to those tests which will demonstrate whether the article(s) comply with contract requirements.

**II SPECIAL INSTRUCTIONS:** The contractor shall be responsible for providing necessary parts and repair of the First Article Sample(s) during testing.

**III. NOTIFICATION OF TESTING:** The contractor shall notify the PCO, ACO and QAR prior to conducting First Article Tests so that the Government may witness such testing (see I-962, para. (A)).

A. The QAR shall be present to witness all First Article Tests.

IV. Test Report: The test report shall be in accordance with MIL- STD-831 and shall be submitted (2 copies) via the Cognizant CAO/QAR to the Navy Naval Inventory Control Point, (NAVICP) Phila. PA Attn: Code 0731. The CAO/QAR shall provide comments on Form DD 1222 (2 copies) which shall be forwarded with the test report. Approval of the test report is the PCO's responsibility. Upon notification of approval/conditional approval, the ACO shall execute the DD 250 to indicate Government acceptance of the test report.

#### V. Disposition of First Article Sample(s)

A. Sample(s) may be considered as production items under the contract provided the sample(s) can be refurbished to ready for issue (RFI) condition and provided the sample(s) have inspection approval of the cognizant QAR.

Sample(s) may be shipped as production items only after all other units required under the contract have been provided and are ready for shipment.

B. Sample is to be unpainted. Corrosive areas are to be coated with a light preservative.

C. The successful offerer will be furnished a sample to serve as an aid in manufacturing. Any alleged conflict between the sample and the applicable drawings/specifications shall be promptly reported in writing to the contracting officer.

1. Following production of all items under the quantity requirements of the contract, the contractor will be responsible for the return of the Government furnished sample in ready for issue (RFI) condition to the Government.

**I-962 First Article Approval (Contractor Testing)**

A. The contractor shall test 1 unit(s) of lot/item 0001 as specified in this contract. At least 45 calendar days before the beginning of First Article Tests, the contractor shall notify the contracting officer, in writing, of the time and location of the testing so that the Government may witness the tests.

B. The contractor shall submit the First Article Test Report within 180 calendar days from the date of this contract to:

NAVICP 700 Robbins Avenue, Bldg 2C  
Philadelphia, PA 19111-5098  
Attn: code: 0731

Marked "FIRST ARTICLE TEST REPORT: Contract NO: lot/item NO. ". Within 30 calendar days after the government receives the test report, the contracting officer shall notify the contractor, in writing, of the conditional approval, approval, or disapproval of the First Article. The notice of conditional approval or approval shall not relieve the contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the contractor. A notice of disapproval shall cite reasons for the disapproval.

C. If the First Article is disapproved, the contractor, upon government request, shall repeat any or all First Article Tests. After each request for additional tests, the contractor shall make any necessary changes, modifications, or repairs to the First Article or select another First Article for testing. All costs related to these tests are to be borne by the contractor, including any and all costs for additional tests following a disapproval. The contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified in paragraph B above. The government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

D. If the contractor fails to deliver any First Article report on time, or the contracting officer disapproves any First Article, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract.



E. Unless otherwise provided in the contract, and if the approved First Article is not consumed or destroyed in testing, the contractor may deliver the approved First Article as part of the contract quantity if it meets all contract requirements for acceptance.

F. If the government does not act within the time specified in paragraph B or C above, the contracting officer shall, upon timely written request from the contractor, equitably adjust under the changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

G. Before First Article Approval, the acquisition of materials or components for, or the commencement of production of, the balance of the contract quantity is at the sole risk of the contractor. Before First Article approval, the costs thereof shall not be allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government.

H. The contractor shall provide both the First Article and the production quantity at the same facility and shall submit a certification to this effect with each First Article.

**C-330**

**PRODUCTION LOT TESTING REQUIREMENTS**

[NSN: 9G 1560-00-802-3632 , P/N: (36659) 817488-1, Revision "A " OR LATEST  
NOMEN: FITTING ASSEMBLY

The material produced under contract shall be accepted by the cognizant CAO/QAR contingent upon the successful completion of these requirements.

I. Production Lot Test Sampling Requirements

A. The cognizant CAO/QAR shall select 5 item(s) at random from the first produced.

B. Production Lot Testing to be completed during production after First Article approval.

II. The tests to be performed under the Production Lot Sample testing provisions of the contract are:

A. Compliance with drawing (36659) 817488-1, Revision "A" OR LATEST and specifications referenced therein.

B. Form/Fit

C. Dimensional Check

D. Review of documentation as provided under CDRL (DD1423) requirements.

In addition to the above tests, the Production Lot Samples(s) to be delivered hereunder shall also be subjected to those tests which will demonstrate that the sample(s) comply with contract requirements.

III. Testing Location, Cost and Estimated Lead-time

A. All testing to be accomplished at contractor's facility.

Within fifteen days of completion of Production Lot Testing, NAVAVNDEPOT, Jacksonville, FL. and/or CAO/QAR shall prepare and submit two copies of their test report with conclusions and recommendations to the NAVICP-PHIL code 0731.

#### **IV. NOTIFICATION OF TESTING:**

The contractor shall notify the PCO, ACO and QAR prior to conducting Production Lot Tests so that the Government may witness such testing.

A. The QAR shall be present to witness all Production Lot Tests.

#### **V. Inspection of Samples**

A. Upon inspection of Production Lot Sample(s) two (2) copies of the Material Inspection and Receiving Report (DD Form 250), bearing the QAR's signature and indication of preliminary inspection, shall be forwarded to NAVICP –PHIL code 0731 with duplicate copies to NAVAVNDEPOT Code 4.4.8.3 and to the designated test facility. The envelope shall be clearly marked. "DO NOT OPEN IN MAILROOM".

B. Sample(s) may be considered as production items under the contract provided the sample(s) can be refurbished to Ready for Issue (RFI) condition and provided the sample(s) have inspection approval of the cognizant CAO/QAR. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

**C-331      PRODUCTION LOT SAMPLE TESTING [CONTRACTOR TESTING]**

A. The Production Lot Samples shall be selected at random by the cognizant government inspector. The samples shall be identified by contract number, lot number and be clearly marked as follows: PRODUCTION LOT TEST SAMPLES  
NOT RFI MATERIAL  
DO NOT TAKE UP IN STOCK

B. Such samples shall be tested in sufficient time prior to the delivery date of the production articles to allow a 30 day period for testing and written notification by the contracting officer of the approval or disapproval of the samples. Within 15 days of the receipt of the samples, the CAO shall notify the contracting officer, Naval Inventory Control Point, Phila. PA code 0731, of the results of the testing, together with a recommendation for approval or disapproval.

C. In the event the contractor does not receive written notification of approval or disapproval of the samples for a particular production lot within 45 days from their submission for such testing, the contract delivery schedule shall be equitably adjusted as necessary.

D. If the contractor fails to deliver any Production Lot Samples for testing within the time or times specified, or if the contracting officer disapproves any Production Lot Samples, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract, and this contract shall be subject to termination for default.

E. In order for a Production Lot to be acceptable, all samples representative of the lot must pass all the contract requirements. In the event a sample fails to pass such requirements, the lot will be rejected. In such event, the government may, at its option and at no additional cost to the government, (I) terminate all or any portion of this contract for default, (II) require the manufacture of a new Production Lot, or a rework of the rejected Production Lot if the means and procedures proposed by the contractor for rework are acceptable to the government, or (III) require the submission of additional samples for test. The foregoing procedures shall apply to new or reworked production lots in the same way as they did to the original Production Lot.

F. For each additional sample or each resubmission of a modified sample which the contractor is required to submit for approval hereunder as a result of a failure of a previous sample to conform to the requirements of the specification, the contractor shall pay to the government the costs of reinspection, examination and retesting and the contractor and his sureties (if any) shall be liable for the amount of such costs.

G. Nothing contained in the foregoing provisions of this clause, and no action of the government in accordance herewith, shall in any way prejudice the right of the government under the clause of this contract entitled Default.